



# Rain Collars & Solar Products

# QUALITY INNOVATION PERFORMANCE

IPS Corporation has long been recognized for its commitment to improving residential and commercial construction products. From introducing America's first plastic pipe solvent cement, the first plastic recessed Washing Machine Outlet Box, to the first adjustable multi-size roof vent flashing, IPS Corporation has always sought to help professional contractors work faster and smarter.

IPS leaves nothing to chance by using the highest-quality materials, which are fully tested for ultraviolet, ozone, and weather resistance. With continued devotion to research, product development, and superior service IPS will continue to bring innovative products with unsurpassed service to the roofing market.

IPS Corporation Roofing Products Division Focus:

.....  
Creating value for our customers  
.....

Product innovation  
.....

Superior workmanship  
.....

Unsurpassed customer service  
.....

Professionalism at all levels  
.....

Thank you for choosing IPS Corporation's Roofing Products!

**MULTI-SIZE RAIN COLLARS**

**WATER-TITE**



- One collar fits multiple size pipes with use of pull tab
- Fully tested for ultraviolet, ozone and weather resistance
- Large size covers the entire existing elastomer collar
- Eliminates the need for a mastic or caulking type messy repair job
- Can be used to instantly repair a leak during a wet period, until the flashing can be replaced at a later time
- Can be used to repair the elastomer sealing collar on all types of residential “no caulk” roof vent flashings quickly and easily



MULTI-SIZE RAIN COLLARS	CODE	MODEL	UPC	UNITS/CASE	LBS/CASE
3 N 1” Rain Collar for 1 ¼”, 1 ½”, 2” or 3” Vent Pipe	81720	RC31	012181-817209	20	5
Collar for 3” or 4” Vent Pipe	81722	RC34	012181-817223	20	5

**STANDARD SIZE RAIN COLLARS**

**WATER-TITE**



- Each collar fits only one pipe size
- Fully tested for ultraviolet, ozone and weather resistance
- Better appearance than a mastic repair job
- Large size covers the entire existing elastomer collar
- Eliminates the need for a mastic or caulking type messy repair job
- Can be used to instantly repair a leak during a wet period, until the flashing can be replaced at a later time
- Can be used to repair the elastomer sealing collar on all types of residential “no caulk” roof vent flashings quickly and easily



STANDARD SIZE RAIN COLLARS	CODE	MODEL	UPC	UNITS/CASE	LBS/CASE
Collar for 1 ½” Vent Pipe/25 bag	81725	RC1	012181-817254	100	15
Collar for 2” Vent Pipe/25 bag	81730	RC2	012181-817308	100	15
Collar for 3” Vent Pipe/25 bag	81735	RC3	012181-817353	75	16
Collar for 4” Vent Pipe/25 bag	81740	RC4	012181-817407	75	16
Collar for ½”, ¾”, 1” Vent Pipe/25 bag	81745	RC5	012181-817452	100	16

## LOW PROFILE RAIN COLLARS

**WATER-TITE**



- Designed to fit all metal coned roof jacks/flashings 1" - 4"
- Low-profile size
- For all metal style roof flashings
- Manufactured using a special EPDM material with UV inhibitor
- Requires no mastic, caulking or taping for a total waterproof seal



LOW PROFILE RAIN COLLARS	CODE	MODEL	UPC	UNITS/CASE	LBS/CASE
Low Profile Collar for 1" Vent Pipe (25 bag)	81739	LPC1	012181-817391	100	10
Low Profile Collar for 1 1/2" Vent Pipe (25 bag)	81741	LPC15	012181-817414	100	9
Low Profile Collar for 2" Vent Pipe (25 bag)	81742	LPC2	012181-817421	100	11
Low Profile Collar for 3" Vent Pipe (25 bag)	81743	LPC3	012181-817438	100	14
Low Profile Collar for 4" Vent Pipe (25 bag)	81744	LPC4	012181-817445	100	18

## SPECIALTY SOLAR COLLAR & FLASHINGS

**WATER-TITE**



- Commercial and residential: water-tight seal for solar mounting system
- RCS1 Solar Collar is new and improved with a tapered neck and internal ribs for a water-tight seal
- Requires no mastic, caulking or taping – mess free

















SOLAR COLLAR	CODE	MODEL	UPC	UNITS/CASE	LBS/CASE
<b>NEW</b> Solar Collar for 3/8" to 1" Mounting Legs or Vent Pipe (25 bag)	81950	RCS1	012181-819500	100	14

FLASHINGS	CODE	MODEL	UPC	UNITS/CASE	LBS/CASE
8 3/4" x 12 1/2" Base for 1/2", 3/4" or 1" Tubing	81870	GB5	012181-818701	20	26
18" x 18" Base for 1/2", 3/4" or 1" Tubing	81879	GB518	012181-818794	15	34
8 3/4" x 12 1/2" Base for 1/2", 3/4" and 1" Tubing	81916	AB5	012181-819166	20	20
18" x 18" Base for 1/2", 3/4" or 1" Tubing	81937	AB518	012181-819371	15	17

# PRODUCT SELECTION GUIDE

**WATER-TITE**

PIPE OD SIZE	PVC/ABS/IRON DWV	CONDUIT	COPPER (NOMINAL)	SOLAR
1/2" CTS or 5/8" PVC/ABS DWV	—	 RC5	 RC5	—
3/4" CTS or 7/8" PVC/ABS DWV	—	 RCS1	 RCS1	 RCS1(standoff)
1" PVC/ABS DWV	 LPC1	—	—	—
1 1/2" PVC/ABS DWV	 RC1	—	—	—
	 LPC15			
2" PVC/ABS DWV	 RC2	—	—	—
	 LPC2			
3" PVC/ABS DWV	 RC3	—	—	—
	 LPC3			
4" PVC/ABS DWV	 RC4	—	—	—
	 LPC4			

IPSCORP.COM

**Roofing Division**

500 Distribution Parkway  
Collierville, Tennessee 38017  
USA

[watertite@ipscorp.com](mailto:watertite@ipscorp.com)

Tel (800) 888-8312

Fax (901) 853-5008